	<u></u>	· · · · · · · · · · · · · · · · · · ·
•	Application No.	Applicant(s)
AL C. CAH. LING	10/783,694	CHOI ET AL.
Notice of Allowability	Examiner	Art Unit
	Frederick C. Nicolas	3754
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOT of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>2/23/2004</u> .	•	
2. The allowed claim(s) is/are <u>1-6</u> .		
3. \boxtimes The drawings filed on <u>23 February 2004</u> are accepted by the	he Examiner.	
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have compared to the priority documents have	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summary	
3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/23/2004	<u>_</u>	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. Other	
		•

Application/Control Number: 10/783,694 Page 2

Art Unit: 3754

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with the applicants' representative Mr. Chanmin Park (Patent Agent) for the attorney of record Mr. John K. Park on 1/18/2005.

The application has been amended as follows:

IN THE CLAIMS:

Claim1, line 1, "nozzle head lowering type" has been deleted and --in which a nozzle head is lowered-- has been inserted; line 3, before "a" first occurrence, --wherein the container includes a bottom surface, an upper portion and an inner wall-- has been inserted; line 3, "for" has been deleted; line 5, "for" has been deleted; line 7, after "passage", --, an upper end and a lower end-- has been inserted; line 8, "for" has been deleted; line 16, "to/from" has been deleted and --to or from-- has been inserted; line 18, after "means", --for discharging-- has been inserted.

Allowable Subject Matter

- 2. Claims 1-6 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art fails to disclose or render obvious a constant discharge structure for a vacuum

Application/Control Number: 10/783,694

Art Unit: 3754

cosmetics in which a nozzle head is lowered in combination with the other claimed limitations of claim 1:

"a central shaft guide cylinder formed in the center of the piston member in a single body, a lower portion of the central shaft being inserted in to the cylinder."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bougamont et al. 6,010,036, Bougamont et al. 5,518,377, Skorka 4,726,747, Gaucher 5,813,571, Jumel et al. 5,271,532, Bougamont et al. 6,196,424, Pritchett et al. 6,763,978 and Knickerbocker 4,435,135 disclose other types of constant discharge structure.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frederick C. Nicolas whose telephone number is (571)-272-4931. The examiner can normally be reached on Monday Friday from 9:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y Mar, can be reached on 571-272-4906. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/783,694

Art Unit: 3754

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

FN January 18, 2005

Frederick C. Nicolas Patent Examiner

Art Unit 3754